

# EU-TYPE EXAMINATION CERTIFICATE



[1]

[2]

**Equipment or Protective System intended for use  
in Potentially Explosive Atmospheres  
Directive 2014/34/EU**

[3]

EU-Type Examination Certificate Number: **DEMKO 14 ATEX 1356 Rev. 5**

[4]

Product: **Single Gas Monitor, Model BWC Series**

[5]

Manufacturer: **BW Technologies by Honeywell**

[6]

Address: **Suite 110, 4411 - 6<sup>th</sup> Street SE, Calgary, Alberta, T2G 4E8, Canada**

[7]

This product and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

[8]

UL International Demko A/S, notified body number 0539 in accordance with Article 17 of the Council Directive 2014/34/EU of 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.  
The examination and test results are recorded in confidential report no. **4788026646**

[9]

Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 60079-0:2012+A11:2013**

**EN 60079-11:2012**

[10]

If the sign "X" is placed after the certificate number, it indicates that the product is subject to special conditions for safe use specified in the schedule to this certificate.

[11]

This EU-Type Examination Certificate relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by the certificate.

[12]

The marking of the product shall include the following:

 **II 1 G Ex ia IIC T4 Ga**

**Certification Manager**  
Jan-Erik Storgaard

This is to certify that the sample(s) of the Product described herein ("Certified Product") has been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the ATEX Product Certification Program Requirements. This certificate and test results obtained apply only to the product sample(s) submitted by the Manufacturer. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured product. UL has not established Follow-Up Service or other surveillance of the product. The Manufacturer is solely and fully responsible for conformity of all product to all applicable Standards, specifications, requirements or Directives. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**Date of issue:** 2014-12-29

**Re-issued:** 2017-10-16

**Notified Body**

UL International Demko A/S, Borupvang 5A, 2750 Ballerup, Denmark  
Tel. +45 44 85 65 65, [info.dk@ul.com](mailto:info.dk@ul.com), [www.ul.com](http://www.ul.com)



**Schedule**  
**EU-TYPE EXAMINATION CERTIFICATE No.**  
**DEMKO 14 ATEX 1356 Rev. 5**

[13]

[14]

[15]

Description of Product

The BW Clip is a hand-held single gas monitor designed to continuously monitor one toxic gas or oxygen. The unit samples the atmosphere in diffusion mode using one electrochemical sensor for one of four gases: CO, H<sub>2</sub>S, O<sub>2</sub>, or SO<sub>2</sub>. Power is provided by one non-user replaceable, 3.6V Lithium Thionyl Chloride or Lithium Manganese Dioxide primary cell. Readings are displayed on an LCD and the device has audible, visual, and vibrating alarms when set, user-configurable conditions are exceeded. The device has no facilities for connection of external electrical circuits.

Model Nomenclature:

BW Clip model BWC, followed by a number, followed by R or blank, followed by -H, -M, -S, or -X.

Performance testing

The measuring function of the product for explosion protection, according to Annex II clause 1.5.5, 1.5.6 and 1.5.7 of the Directive 2014/34/EU is not covered in this certificate.

The optical radiation output of the product with respect to explosion protection, according to Annex II clause 1.3.1 of the Directive 2014/34/EU is covered in this certificate based on Exception 1 to the scope of EN 60079-28:2015.

Temperature range

The ambient temperature range is -40°C to +50°C.

Routine tests

None

[16]

Descriptive Documents

The scheduled drawings are listed in the report no. provided under item no. [ 8 ] on page 1 of this EU-Type Examination Certificate.

[17]

Specific conditions of use:

None.

[18]

Essential Health and Safety Requirements

The Essential Health and Safety Requirements (EHSRs) covered by the standards listed at item 9.

Additional information

The BW Clip has in addition passed the tests for Ingress Protection to IP 67 in accordance with EN 60529:1991+A1:2000+A2:2013.

The trademark



will be used as the company identifier on the marking label.

The manufacturer shall inform the notified body concerning all modifications to the technical documentation as described in Annex III to Directive 2014/34/EU of the European Parliament and the Council of 26 February 2014.